

Flange drain bag



- Completely covers the flange
- For lots of pipe connections
- For DN 50 (50 mm/1.9 inch) to DN 100 (100 mm/3.9 inch)
- Sealing pressure of 1 bar (14.5 psi)

Perfect fit for safe drainage at flanges.

Problems with leaky pipe connections? Make the task of sealing difficult leaks on all types of flanges easier for your team. Flanges are critical pipe sections and conventional sealing bags will rarely be effective here. Vetter flange drain bags cover the flange and pipe, reliably stop the leakage of hazardous liquids and at the same time allow you to drain off the liquid in a controlled and safe manner. The bags come in three sizes to cover all customary pipelines and flanges. Gel plates are included for convenient smoothing out of minor irregularities and unevenness on the pipe's surface.

It couldn't be simpler:

Place the bag around the flange and pipe, close the zip fastener along the entire length of the bag and inflate the sleeves. Immediately, everything is sealed and you can commence with controlled drainage of the liquid.

This document was created on 24/04/2024.



Technical Data

Uniform sealing pressure of 10 m WC (14.5 psi).

Working pressure: 1.5 bar (21.75 psi)Test pressure: 1.95 bar (28.5 psi)

Product	ArtNr.	0	1	2	3	4	5	6	7
DN 50	1500006600	14.5	0.1	6.8	39.2	35	21.75	28.5	8.3
DN 80	1500019200	14.5	0.1	6.8	39.2	35	21.75	28.5	8.3
DN 100	1500023400	14.5	0.1	7.7	40.1	36	21.75	28.5	9.8

Column definitions:

- 0: Sealing pressure [psi]
- 1: Air requirement, at working pressure [cu. ft.]
- 2: Weight of individual bag, approx. [lbs]
- 3: Weight of set, approx. [lbs]
- 4: Length [inch]
- 5: Working pressure [psi]
- 6: Test pressure [psi]
- 7: Outer diameter [inch]

This document was created on 24/04/2024.