


**50 Years**  
Reliable. Every time. Everywhere.



Emergency Pneumatics.

## Dual deadman controller

Rugged, handy, connectable › Made for your mission

- › Made for use with Vetter lifting bags
- › Can be quickly connected to a multiple control device
- › Extremely rugged aluminium housing
- › Complies with EN-13731:2008



# Technical Data\*

## Dimensions

Dimensions    Approx. 140 x 250 x 95 mm / 5.5 x 9.8 x 3.7 inch


Weight         Approx. 2.6 kg / 5.7 lbs

## Product numbers

0800015800    Dual deadman controller 8 bar / 116 psi, aluminium style, connectable

1000004800    Dual deadman controller 10 bar / 145 psi, aluminium style, connectable

1200005000    Dual deadman controller 12 bar / 174 psi, aluminium style, connectable



Extremely rugged housing withstands even extreme stress



Connect in seconds to fill several bags



### In operation with...

- › S.Tec 12 Lifting Bags (12 bar / 174 psi)
- › C.Tec 12 Connectable Bags (12 bar / 174 psi)
- › Ultra Flat Bags S.Tec (10 bar / 145 psi)
- › Mini-lifting bags (8 bar / 116 psi)



### Good reasons:

- › to fill 3 and more bags simultaneously (e.g Connectable Bags)
- › Quickly and simply connect to a multiple control device
- › Compressed-air supported button
- › Facilitates the variable control of several lifting bags
- › Direct rescue manoeuvres with millimetre precision



### Guaranteed quality:

- › Made in Germany
- › Complies with EN-13731:2008 standard
- › Independently tested / TÜV certified



\*Technical changes reserved

## Vetter GmbH

A Unit of IDEX Corporation  
Blatzheimer Str. 10-12  
D-53909 Zülpich – Germany

**E-mail:** [vetter.rescue@idexcorp.com](mailto:vetter.rescue@idexcorp.com)  
Tel.: +49 (0) 22 52 / 30 08-0  
Fax: +49 (0) 22 52 / 30 08-590